

### Ideal cold water cleaning for everyday tasks

Overall, the POSEIDON 2 mobile units associates a high level of ergonomics with cleaning power. The POSEIDON 2 line comprises of models designed for routine semi-professional use mainly by tradesmen, on small construction sites or for rentals. The mobile unit associates a high level of ergonomics with cleaning power. The compact cold water line that combines high performance level for increased cleaning efficiency, ergonomics and durability for superior everyday cleaning.

- Automatic Start/stop
- Ergo 2000 gun
- Ergo plus accessory concept
- Brass cylinder head, Axial pump
- Steel reinforced High Pressure Hose (standard 10 m, XT 15 m)
- Detergent injector hose and doser
- Removable integrated detergent tank (2 l)
- Water flow regulation on all models
- 4-in-1 lance - four optional variable nozzles in one single lance.

The POSEIDON 2 range is destined for low intensity use and routine cleaning tasks. They offer excellent cleaning performance, professional spray equipment, good storage facilities and handling.



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	MC 2C-140/610 XT UK	MC 2C-120/520 T UK
	High Pressure Female Coupling				
	GARDENA MALE 3/4 INCH	32541	1	•	•
	High Pressure Hose, DN6				
	HOSE DN6 10M 1W FOR P-2	126528620	1		•
	-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL	101406176	0	•	
	Spray Gun				
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	•	•
	4-in-1 Lance				
	4-IN-1 LANCE INCL 0350 ALUMINUM HEAD	106408251	0		•
	4-IN-1 LANCE INCL 0370 ALUMINUM HEAD	106408252	0	•	
	Tornado Nozzle with Indication Ring				
	NOZZLE 0350 INDICATION RING BORDEAUX	101119736	1		•
	NOZZLE 0370 INDICATION RING BRONZE	101119737	1	•	
	NOZZLE 0640 INDICATION RING GREEN	101119745	1		
	TORNADO NOZZLE 0475	301150005	1		
	Surface Cleaning Rotary				
	HYDROSCRUB P300P	106403155	0		

Ideal cold water cleaning for everyday tasks


Model	MC 2C-140/610 XT UK	MC 2C-120/520 T UK
Ref. no.	128470137	128470250

PRODUCT FEATURES









Single-phase	•	•
Ergo accessory system	•	•
Stainless steel pistons	•	•
Hose reel	•	
Compact design	•	•
Brass cylinder head	•	•
Ceramic coated pistons		
Automatic start/stop	•	•
Water flow regulation		

Technical specifications	MC 2C-140/610 XT UK	MC 2C-120/520 T UK
Pump pressure (bar/MPa)	140/14	120/12
Cleaning impact (kg/force)	2.5	2.2
Pump (RPM)	2800	2800
Power consumption (kW)	2.9	2.3
Voltage/phase/frequency/current (V/~/HZ/A)	230/1/50/12.6	230/1/50/10
Water flow Qmax/Qiecc (l/h)	610/540	520/470
El cable (m)	5	5
Detergent tank (l)	2	2
Nozzle size	.0370	.0350
Max inlet temperature (°C)	60	60
Ceramic Coated Pistons		
Stainless steel pistons	3	3
Dimensions LxWxH (mm)	394x391x955	394x391x955
Suction height - primed (m)	0.5	0.5
Weight (kg)	28.1	27













● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MC 2C-140/610 XT UK	MC 2C-120/520 T UK
	Hose and Connection				
	NILFISK BA VALVE COMP. GARDENA	106411177	0	○	○
	NILFISK BA VALVE COMP. GEKA	106411179	0	○	○
	NILFISK BA VALVE COMP. NITO	106411178	0	○	○
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○









## Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC 2C-140/610 XT UK	MC 2C-120/520 T UK
	WATER INLET HOSE 3/4 P/	6465	0	○	○
	High Pressure Male Coupling				
	ADAPTOR 3/8 INCH MALE FOR HOSE	6401067	1	○	○
	GARDENA COUPLING HOSE END 1/2 BULK	1608629	1	○	○
	GEKA COUPLING HOSE END 3/4	1311	1	○	○
	LP NIPPLE F. Q.-COUPLING 3/4IN	1600659	1	○	○
	NITO COUPLING HOSE END 1	1604669	1	○	○
	High Pressure Female Coupling				
	COUPLING GEKA FEMALE - INT THREAD 3/4 IN	1718	1	○	○
	GARDENA MALE 3/4 INCH	32541	1	●	●
	HOSE NOZZLE 20R3/4	61369	1	○	○
	QUICK COUPLING 3/4 W/GASKET	1602945	1	○	○
	Brush Washing				
	BRUSH INSERT	10356	1	○	○
	WASH BRUSH - ERGO - UNIVERSAL LANCE	14202	1	○	○
	WASH BRUSH L1550 MM	6400088	1	○	○
	WASH BRUSH L2350 MM	6400087	1	○	○
	Special Nozzle				
	NOZZLE PROTECTION CAP PA	18430	1	○	○
	Drain and Pipe Cleaning				
	PIPE CLEANING HOSE 4X10M	301002490	1	○	○
	PIPE CLEANING HOSE 4X20M	301002491	1	○	○
	PIPE CLEANING HOSE 4X30M	301002492	1	○	○
	PIPE CLEANING NOZZLE 1/8INC IG DN4	46921	0	○	○
	PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN	46918	0	○	○
	TurboHammer Nozzle				
	TURBOHAMMER NOZZLE W12 035	49283	0		○
	TURBOHAMMER NOZZLEHEAD W12 0370	106408221	0	○	
	FlexoPower Lance				
	FLEXOPOWER HOUSE F.NZ 1/8 OUTS. THREAD	63251	0	○	○
	FLEXOPOWER PLUS 960 BEND W/O NOZZLE	106402282	1	○	○
	FLEXOPOWER PLUS 990 BEND W/O NOZ.	106402281	1	○	○
	Detergent				
	ALTO ACIDO 10 L	81204	1	○	○
	ALTO ACTIVE WAX 10 L	81177	1	○	○
	ALTO ALLOSIL 10 L	81237	1	○	○









Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC 2C-140/610 XT UK	MC 2C-120/520 T UK
	ALTO COMBI ACTIVE 10L	81172	1	○	○
	ALTO INTENSIVE 10 L	81137	1	○	○
	ALTO J 25 MULTI 10 L	80923	1	○	○
	ALTO RIMTOP 10 L	80935	1	○	○
	ALTO SAPPHIRE 10 L	81180	1	○	○
	ALTO SUPERPLUS 10 L	81170	1	○	○
	ALTO UNIVERSAL 10 L	80930	1	○	○
	AUTO ACTIVE 10 L	81136	1	○	○
<b>Filter Pressure Washer</b>					
	CARTRIDGE FILTER REPLACEM. 50 µM	1104041	1	○	○
	SAND FILTER 50MICRON UNIVERSAL	1604461	1	○	○
	SUCTION FILTER WITH FOOTVALVE	6400000	1	○	○
	WATER FILTER 50µM 3/4INCH PN12 PA	301000173	1	○	○
<b>Non Blacking High Pressure Hose, DN10</b>					
	20 M 2 WIRE HOSE 3/8 FOOD	1401991	0	○	○
	HOSE DN10 10 M 2W 3/8X3/8 GRAU-FOOD	6101767	0	○	○
	HOSE DN10 15 M 2W 3/8X3/8 GRAY-FOOD	1401983	0	○	○
<b>High Pressure Hose, DN10</b>					
	1 M 2 WIRE HOSE 3/8 DN10	1402916	0	○	○
	2 M 2 WIRE HOSE 3/8 DN10	1402924	0	○	○
	3 M 2 WIRE HOSE 3/8 DN10	1402932	0	○	○
	HOSE DN10 10 M 2W 3/8X3/8 INCH	6101766	0	○	○
	HOSE DN10 15 M 2W 3/8X3/8	1402064	0	○	○
	M 20 WIRE HOSE 3/8 DN10	1402072	0	○	○
<b>High Pressure Hose, DN8</b>					
	10 M 1 WIRE HOSE 5/16 DN8	1405569	0	○	○
	HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.	101405770	0	○	○
	HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL.	301001100	0	○	○
	HOSE DN8 20 M 1W - 3/8X3/8	1405666	0	○	○
<b>Ergo System Coupling and Adapter</b>					
	COUPLING - FEMALE/Q-COUPPL 3/8 INCH	106402075	1	○	○
	ERGO COUPLING KIT	101119496	1	○	○
	HIGH PRESSURE COUPLINGS KIT	101119499	1	○	○
	Nippel F. Q-COUPPL. 3/8 INCH	1600493	1	○	○
	NIPPLE F/QUICK COUPLING 3/8 SS	1603101	1	○	○
	NIPPLE FOR SPRAY LANCE STAN.L	1609325	0	○	○

## Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC 2C-140/610 XT UK	MC 2C-120/520 T UK
	PACKING RING 23.8X17.2X2 3/8 INCH St-NBR	1801075	0	○	○
	Brush Rotary				
	BRISTLE. LONG	6401431	1	○	○
	NYLON. BRISTLE FOR ROTARY	6401432	1	○	○
	ROTARY BRUSH 055 L800 MM	6400018	0	○	○
	Special Lance				
	CURVED LANCE L1090 MM	6402016	1	○	○
	LANCE SINGLE 1500MM W/O NOZZLE	6401193	1	○	○
	UNDER CARRIAGE WASHER 40065	6400036	1	○	○
	Hose Reel				
	CLEANING TROLLEY SS W/HOSE REEL FOAM IN	6401094	0	○	○
	HOSE REEL RETRACTABLE SS W/O HOSE	106403168	0		○
	HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE	106403131	0		○
	Injector and Foam Sprayer				
	02 INJECTOR COMPLETE	6401246	1	○	○
	BOTTLE FOR FOAM SPRAYER 1 L	106408163	0	○	○
	FOAM LANCE COMPLETE L600 MM	6404368	1	○	○
	FOAM LANCE COMPLETE L1200 MM	6404369	1	○	○
	High Pressure Hose, DN6				
	10 M WIRE HOSE DN6	301002275	1	○	○
	HOSE DN6 10M 1W FOR P-2	126528620	1		●
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0	○	○
	-HOSE DN6 15M SWIVEL-3/8 F. HOSE REEL	101406176	0	●	
	Liquid Sprayer				
	KEW LIQUID SPRAYER 5S	7110005	0	○	○
	KEW LIQUID SPRAYER 20S	7110020	0	○	○
	Spray Gun				
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	1	●	●
	REP. KIT SWIVEL JOINT	101119484	1	○	○
	SIDE BAR COMPL.	106402110	1	○	○
	SPRAY HANDLE W. SWIVEL LOCK	106402190	1	○	○
	Tornado Nozzle with Indication Ring				
	NOZZLE 0340 INDICATION RING VIOLET	101119735	0		○
	NOZZLE 0350 INDICATION RING BORDEAUX	101119736	1		●
	NOZZLE 0370 INDICATION RING BRONZE	101119737	1	●	
	NOZZLE 0640 INDICATION RING GREEN	101119745	1		

Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC 2C-140/610 XT UK	MC 2C-120/520 T UK
	NOZZLE PROTECTION F. TORNADOL.	106402425	0	○	○
	TORNADO NOZZLE 0475	301150005	1		
	Short Lance				
	DOUBLE LANCE W/O NOZZLE 90MM	106402150	1	○	○
	SINGLE LANCE W/O NOZZLE 90MM	106402151	1	○	○
	TurboHammer Lance				
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0500	106402291	0		
	TURBOHAMMER PLUS 1125 STRAIGHT W11 0700	106402294	0		
	TURBOHAMMER PLUS 1130 STRAIGHT W12 0350	106403001	1		○
	TURBOHAMMER PLUS 1130 STRAIGHT W12 0500	106403003	1		
	Tornado Lance				
	TORNADO PLUS 630 STRAIGHT W/O NOZZLE	106403013	1	○	○
	TORNADO PLUS 1000 BEND W/O NOZZLE	106403011	1	○	○
	TORNADO PLUS 1120 BEND W/O NOZZLE	106403010	1	○	○
	TORNADO PLUS 2080 BEND W/O NOZZLE	106403012	1	○	○
	Universal Lance				
	UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT	106403032	1	○	○
	UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT	106403033	1	○	○
	UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT	106403031	1	○	○
	UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT	106403030	1	○	○
	UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ	106403036	1	○	○
	UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ	106403035	1	○	○
	UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL	106403034	1	○	○
	PowerSpeed Vario Lance				
	POWERSPEED VARIO PLUS 1090 BEND 0370	106403091	1	○	
	POWERSPEED VARIO PLUS 1090 BEND 0640	106403095	0		
	Surface Cleaning Rotary				
	HYDROSCRUB P300 P+H	106403187	0	○	○
	HYDROSCRUB P300P	106403155	0	○	○
	Abrasive Blasting				
	SIMPLE SAND BLASTING UNIT COMPLETE VSB	301112493	1	○	○
	4-in-1 Lance				
	4-IN-1 LANCE INCL 0350 ALUMINUM HEAD	106408251	0		●
	4-IN-1 LANCE INCL 0370 ALUMINUM HEAD	106408252	0	●	