EGHOLM



New

Drive with conscience.
Drive with comfort.

Park Ranger 2155

Drive with conscience.

Environmentally friendly, durable and reliable

The well-known Park Ranger 2150 has undergone a major transformation. Not only has it received a new and more modern design - it has also received a large number of new and/or improved features.

As before, the Park Ranger 2155 is equipped with a reliable and efficient Stage V diesel engine, designed to meet European emission standards - without compromising on performance. The Stage V engine is approved to run on environmentally friendly HVO100 biodiesel.

With the Park Ranger 2155 you are not only future-proofed, you also drive in an environmentally friendly way.




PR 2155

Drive with comfort.



Roof hatch

More operator space

Hooks for storage

LED lights

Power and USB plugs for mobile phone charger etc.

Pockets for storage

Large windows for optimum view

Rear view camera (option)


Vibration-damped cabin

Modern design

Reduced noise level

Isulating mat

... with or without cabin.



Illustrations can be shown with extra equipment.

Park Ranger 2155

Technical specifications		Basic machine
Length	mm	2277
Width	mm	1007
Height with / without cabin	mm	1987 / 1350
Weight with / without cabin [1)]	kg	740 / 598
Payload with / without cabin [1)]	kg	560 / 702
Gross vehicle weight (GWA)	kg	1300
Turning circle - kerb to kerb	mm	3180
Turning circle - inside	mm	1120
Engine: Perkins diesel 403J-11	hp / kW	25 / 18,4
4-wheel drive		Standard

[1)] Includes: 75 kg operator and 90% fuel capacity.

... a new machine with 19 familiar attachments.





















Options

Rear view camera with colour screen **NEW**
Heated side view mirrors **NEW**
LED working lights - front **NEW**
LED working light - rear
Beacon
Flash light **NEW**
Mechanical seat - Grammer **NEW**
Air suspension seat - Cobo
Armrest - Grammer **NEW**
Armrest - Cobo
Cup holder **NEW**
Radio
DAB+ radio
Large radiator cover
Load carrier
Rear lifter
Counterweight
Number plate kit (front + rear)
Shovel and broom holder
Anti-corrosion treatment


PR 2155

Your benefits ...



25 HP and 4-wheel drive

- 25 HP - ensures efficient operation
- 4-wheel drive - reliable traction and driving force in all conditions
- Solves the tasks in no time



Manoeuvrable

- Articulated steering - highly manoeuvrable and good overview
- Flexibility - solves tasks faster
- Compact - operates in narrow spaces



Operator comfort

- Fewer vibrations
- Easy access to the operator seat
- Easy operation of all functions
- Easy attachment change - without the use of tools or the need for heavy lifting



Light weight

- Very low weight
- Gentle on the surface
- Ideal for sensitive areas such as green spaces and parcs
- Easy to transport



Stage V - for the environment

- Low particle emissions
- Energy efficient and optimised fuel economy
- Reduced noise level
- Approved for HVO100 biodiesel



Attachment change 4 min.

- Easy and quick attachment change
- Simple coupling system - everyone can handle it
- High efficiency - no hesitation
- Improved return on investment



Tailor-made attachments

- Matched to the machine for optimal performance
- Easy attachment change
- Wide range of attachments



Danish design and production

- The Egholm utility machines are Danish designed and produced - built by skilled craftsmen - monitoring every tiny detail of our solutions.

Egholm A/S
Transportvej 27
7620 Lemvig, Denmark
T.: +45 97 81 12 05
www.egholm.eu
info@egholm.dk

Egholm GmbH
Am Hafen 24
38112 Braunschweig, Germany
T.: +49 (0) 531 129 77-0
www.egholm.de
info@egholm.de

Egholm A/S - Specifications and details are subject to change without prior notice.

29.09.2026